

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Product code: F P 0 2 8 8 / F P 0 2 9 9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Detergent For Industrial Use Only

1.3. Details of the supplier of the safety data sheet

Company name: Rexchem UK Limited

The Courtyard

High Street

Ascot

Berkshire

SL5 7HP

United Kingdom

Tel: +44 (0) 7572 362973

Email: sales@rexchem.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 7572-362973

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; -: EUH208

Most important adverse effects: Contains proteases with the exception of those specified elsewhere in the asl. May produce an allergic reaction. Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains proteases with the exception of those specified elsewhere in the asl. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



SAFETY DATA SHEET

ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 2

Precautionary statements: P260: Do not breathe dust/fumes/gas/vapours.
P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	10-30%

SODIUM CARBONATE PEROXYHYDRATE

239-707-6	15630-89-4	-	Ox. Sol. 2: H272; Acute Tox. 4: H312+332; Eye Dam. 1: H318; Ox. Sol. 3: H272; Acute Tox. 4: H302+312+332	10-30%
-----------	------------	---	--	--------

BENZENESULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS:

270-115-0	68411-30-3	-	Eye Dam. 1: H318; Aquatic Acute 1: H400; Skin Irrit. 2: H315; Aquatic Chronic 3: H412; Acute Tox. 4: H302	1-10%
-----------	------------	---	---	-------

NONIONIC ALCOHOL ETHOXYLATE

-	69013-18-9	-	Eye Dam. 1: H318; Acute Tox. 4: H302	1-10%
---	------------	---	--------------------------------------	-------

PROTEASES WITH THE EXCEPTION OF THOSE SPECIFIED ELSEWHERE IN THE ASL

-	-	-	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334	<1%
---	---	---	---	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

[cont...]

SAFETY DATA SHEET

ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

[cont...]

SAFETY DATA SHEET
ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder

Colour: White

[cont...]

SAFETY DATA SHEET
ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 5

Odour: Pleasant

Solubility in water: Soluble

Relative density: 0.82

pH: >11.5 @ 1%

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

SODIUM CARBONATE PEROXYHYDRATE

DERMAL	RBT	LD50	2000	mg/kg
GASES	RAT	LD50	4580	mg/kg
ORAL	RAT	LD50	1034	mg/kg

[cont...]

SAFETY DATA SHEET

ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 6

BENZENESULPHONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS:

ORAL	RAT	LD50	200-2000	mg/kg
------	-----	------	----------	-------

NONIONIC ALCOHOL ETHOXYLATE

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE PEROXYHYDRATE

DAPHNIA	48H EC50	4.9	mg/l
FISH	96H LC50	70.7	mg/l

NONIONIC ALCOHOL ETHOXYLATE

FISH	96H LC50	>1	mg/l
------	----------	----	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

[cont...]

SAFETY DATA SHEET

ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 7

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1759

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, N.O.S.
(DISODIUM METASILICATE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

[cont...]

SAFETY DATA SHEET

ELITE GOLD ALL-IN-ONE LAUNDRY POWDER

Page: 8

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.

H312+332: Harmful in contact with skin or if inhaled.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.