

# SAFETY DATA SHEET THIXOTROPIC OVEN CLEANER

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	THIXOTROPIC OVEN CLEANER
Product No.	355

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses CLEANING OF OVENS

#### 1.3. Details of the supplier of the safety data sheet

Supplier

IDEAL MANUFACTURING LTD. ATLAS HOUSE, BURTON ROAD FINEDON, WELLINGBOROUGH NORTHANTS. NN9 5HX 01933 681616 24hr Emergency number 0870 19067777 01933 681042 hello@idealmanufacturing.com

### 1.4. Emergency telephone number

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC)

C;R35.

### 2.2. Label elements

Contains Labelling





S60

This material and its container must be disposed of as hazardous waste.

# 2.3. Other hazards

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

ALKYL AMIDO PROPYL DIMETH	HYLAMINE BETAINE		< 1%
CAS-No.: 61789-40-0	EC No.: 263-058-8		
Classification (EC 1272/2008) Eye Dam. 1 - H318		Classification (67/548/EEC) Xi;R41.	
ALKYL POLY GLUCOSIDE			< 1%
CAS-No.: 122-99-6	EC No.: 204-589-7		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xi;R41.	
BETA-ALANINE,N-(2-CARBOXY	'ETHYL)-N-COCO ALK	YL DERIVATIVE	1-5%
CAS-No.: 90170-43-7	EC No.: 290-476-8		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xi;R36.	
SODIUM HYDROXIDE			20-30%
CAS-No.: 1310-73-2	EC No.: 215-185-5		
Classification (EC 1272/2008) Met. Corr. 1 - H290		Classification (67/548/EEC) C;R35	
Skin Corr. 1A - H314			
Tallowbis(2-hydroxyethyl)amine c	oxide		1-5%
CAS-No.: 61791-46-6	EC No.:		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xi;R38,R41. N;R50.	

1-5%

# THIXOTROPIC OVEN CLEANER

TETRASODIUM, ETHYLENEDIAMINETETRAACETATE

CAS-No.:

EC No.: 200-573-9

Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Classification (67/548/EEC) Xn;R20/22. Xi;R38,R41.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

Ingestion

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately! Skin contact

Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes and seek medical attention. Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

General information

Seek medical attention for all burns, regardless how minor they may seem.

Severe irritation in nose and throat.

Ingestion

May cause chemical burns in mouth and throat.

Skin contact

Burns can occur.

Eye contact

Irritation, burning, lachrymation, blurred vision after liquid splash.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Extinguishing media

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Fire creates: Corrosive gases/vapours/fumes of: Caustic Alkalies

# 5.3. Advice for firefighters

Special Fire Fighting Procedures

Avoid breathing fire vapours. Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

Do not discharge onto the ground or into water courses.

# 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush area with plenty of water. Do not let washing down water contaminate ponds or waterways.

# 6.4. Reference to other sections

# SECTION 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Class

Corrosive storage.

# 7.3. Specific end use(s)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL -	- 15 Min	Notes
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments

OES = Occupational Exposure Standard.

#### TETRASODIUM, ETHYLENEDIAMINETETRAACETATE

DINEL				
Industry	Inhalation.	Long Term	Systemic Effects	2.5 mg/m3
Industry	Dermal	Long Term	Systemic Effects	1.5 mg/m3
Industry	Oral	Long Term	Systemic Effects	25 mg/kg/day
PNEC				
Industry	Freshwater	Long Term	2.2 mg/l	
Industry	Marinewater	Long Term	0.22 mg/l	
Industry	Intermittent release	Long Term	1.2 mg/l	
Industry	STP	Long Term	43 mg/l	
Industry	Soil	Long Term	0.72 mg/l	

### 8.2. Exposure controls

Protective equipment



Hand protection

Use full length gloves. Eye protection Wear full-face visor or shield. Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Red.
Odour	No characteristic odour.
Solubility	Miscible with water
Relative density	1.220 - 1.240 20
Viscosity	2000 cP 20

# 9.2. Other information

# SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

Reacts violently with strong acids.

# 10.2. Chemical stability

Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

Gives off Hydrogen by reaction with base metals such as zinc and aluminium. Exothermic reaction with water and with acids.

# 10.4. Conditions to avoid

Avoid contact with acids.

# 10.5. Incompatible materials

Materials To Avoid Strong acids. Alkali earth metals.

# 10.6. Hazardous decomposition products

Irritating fumes carried by fire

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

Toxicological information No information available.

Inhalation

Not relevant at normal room temperatures. When heated, corrosive vapours may be formed.

Ingestion

May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Causes severe burns. Eye contact Causes severe burns.

# SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, May cause long-term adverse affects in the aquatic environment.

# 12.1. Toxicity

No information available

# 12.2. Persistence and degradability

Degradability

This product mainly consists of inorganic compounds which are not biodegradable. The remaining compounds of the product are expected to be easily biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate

## 12.4. Mobility in soil

Mobility: The product is soluble in water.

# 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

### SECTION 14: TRANSPORT INFORMATION

General

Full protective clothing should be worn when handling this product.

# 14.1. UN number

UN No. (ADR/RID/ADN)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824

### 14.2. UN proper shipping name

Proper Shipping Name

SODIUM HYDROXIDE SOLUTION

# 14.3. Transport hazard class(es)

ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.

ADR Label No.
IMDG Class
ICAO Class/Division
Transport Labels

# 8 8

THIXOTROPIC OVEN CLEANER



8

# 14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

# 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

# 14.6. Special precautions for user

Emergency Action Code	2X
Hazard No. (ADR)	80

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# **SECTION 15: REGULATORY INFORMATION**

# <u>15.1. Safety, health and environmental regulations/legislation specific for the substance</u> or mixture

# 15.2. Chemical Safety Assessment

# **SECTION 16: OTHER INFORMATION**

#### General information

This information is given in good faith and is based upon current available data. The suitability of this product for any particular use is not suggested. The user must determine if the product is correct for any particular application. This document is not a specification. Conforms to 1907/2006/EC

application. This doct	ament is not a specification. Comornis to re
Revision Date	31.05.2015
Revision	08
SDS No.	355
Date	31.05.2015
Risk Phrases In Full	
R35	Causes severe burns.
R20/22	Harmful by inhalation and if swallowed.
R36	Irritating to eyes.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50	Very toxic to aquatic organisms.

Hazard Statements In Full	
H318	Causes serious eye damage.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H290	May be corrosive to metals.