

## SAFETY DATA SHEET

## 1. IDENTIFICATION OF SUBSTANCE/PREPARATION &amp; COMPANY

PRODUCT NAME UNIVERSAL LEATHER OIL  
CHEMICAL FAMILY Dry Cleaning Auxiliary.  
COMPANY NAME COLE & WILSON LTD, NABBS LANE, SLAITHWAITE, HUDDERSFIELD, W. YORKSHIRE, HD7 5AT  
EMERGENCY TELEPHONE 01484 842353  
EMAIL info@colewilson.co.uk

## 2. HAZARD IDENTIFICATION



WARNING  
Causes serious eye irritation  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses  
Get medical advice attention.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: Dodecylbenzenesulphonic acid, Salt 5 -10%  
CAS: 84961-74-0  
H315, H319  
Hexylene glycol 1-5 %  
CAS: 107-41-5

## 4. FIRST AID MEASURES

INHALATION Move to fresh air, loosen clothing, keep patient warm & rested.  
SKIN CONTACT Wash off with copious amounts of water.  
EYE CONTACT Irrigate with plenty of cold water.  
INGESTION Do not induce vomiting, wash out mouth with water and give 200-300ml (half pint) of water to drink. Seek medical advice.

## 5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA Carbon dioxide, dry powder, sand, foam or water spray.  
SPECIAL PRECAUTIONS Self contained breathing apparatus and full protective clothing should be worn.

PRODUCT NAME UNIVERSAL LEATHER OIL

#### 6. ACCIDENTAL RELEASE MEASURES

METHODS FOR CLEANING UP Take up with absorbent material, e.g. sand, sawdust.  
Rinse away remainder with water.

ENVIRONMENTAL PRECAUTIONS Do not allow to get into waste water or waterways.

#### 7. HANDLING AND STORAGE

ADVICE ON PROTECTION AGAINST FIRE AND EXPLOSION No special measures necessary.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTION Observe normal standards of industrial hygiene for handling chemicals.  
Wear gloves, protective goggles. Avoid eye contact.

OCCUPATIONAL EXPOSURE LIMITS The threshold limit value for mineral oil mist is 5mg/m<sup>3</sup> 8 hour TWA.

#### 9. PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE Clear liquid.

COLOUR Yellow.

ODOUR Characteristic.

CHANGES IN PHYSICAL STATE Boiling point >100°C (water phase).

FLASH POINT >90°C closed cup.

IGNITION TEMPERATURE >200°C.

EXPLOSION LIMITS Not determined.

VAPOUR PRESSURE Not determined.

DENSITY At 15°C approximately 948.

SOLUBILITY Emulsifiable.

pH VALUE 6/7.

VISCOSITY At 20°C: approx 106 cps.

PRODUCT NAME UNIVERSAL LEATHER OIL

#### 10. STABILITY & REACTIVITY

THERMAL DECOMPOSITION >150°C.

HAZARDOUS REACTIONS Can react with alkali metals and alkaline earth metals.

HAZARDOUS DECOMPOSITION PRODUCTS Oxides of carbon, nitrogen and sulphur. Hydrogen chloride.

#### 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Expected to possess a relative low degree of acute oral toxicity.

DERMAL COMPATABILITY Expected to be relatively non toxic by dermal route.

MUCOUS MEMBRANE COMPATABILITY Not determined, expected to be mild irritant.

INHALATION High concentrations of oil mist could cause irritation of lungs leading to pneumonia.

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity No data.

Other Ecological Information No data.

Further Information WGK 1 of 2 self classification.

#### 13. DISPOSAL CONSIDERATIONS

ADVICE ON DISPOSAL In accordance with local authority regulations e.g. special waste disposal or incinerate.

#### 14. TRANSPORT INFORMATION

UN NO.

PACKAGING GROUP Not classified.

IMDG PAGE NO. Not classified.

MARINE POLLUTANT No.

RID/ADR CLASS Non hazardous.

FURTHER INFORMATION Not classified according to transport regulations for hazardous goods.

PRODUCT NAME

UNIVERSAL LEATHER OIL

15. REGULATORY INFORMATION

16. OTHER INFORMATION.

Date of issue

7TH JUNE 2015

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.